


Dental Diamond Bur

牙科金刚砂车针

Advantages

1. Strictly comply with ISO Standard ;
2. Sharper and More Efficient ;
3. Durable and Valuable ;
4. Full Range of shapes and grits.
5. Fastly develop new items.
6. Individual Design and OEM Service



Grit

- Black / Super Coarse
- Green / Coarse
- Blue / Medium
- Red / Fine
- Yellow / Extra Fine

001-008M Item No.

0.8 19.0 001(801) BR-49	1.0 19.0 001(801) BR-45	1.2 19.0 001(801) BR-46	1.4 19.0 001(801) BR-41	1.6 19.0 001(801) BR-40	1.8 19.0 001(801) BR-31	2.1 19.0 001(801) BR-28	2.3 19.0 001(801) BR-26	2.5 19.0 001(801) BR-25	2.9 19.0 001(801) BR-23
001-008M	001-010M	001-012M	001-014M	001-016M	001-018M	001-021M	001-023M	001-025M	001-029M
圆球型 Ball, Round /BR									

6mm 1.2 22.0 697(801L) BR-L46	1.4 22.0 697(801L) BR-L41	1.6 22.0 697(801L) BR-L40	1.8 22.0 697(801L) BR-L31	1.2/2.3 19.0 002(802) BC-43	1.4/2.3 19.0 002(802) BC-42	1.6/3.5 19.0 002(802) BC-32	1.8/2.3 19.0 002(802) BC-31	1.2/10.0 21.0 494(802L) ENDO-012	1.4/10.0 21.0 494(802L) ENDO-014
697-012M	697-014M	697-016M	697-018M	002-012M	002-014M	002-016M	002-018M	494-012M	494-014M
圆球型 Round with Long Neck /BR					紧口圆球型 Round with Collor /BC				

1.6/10.0 21.0 494(802L) ENDO-016	1.8/10.0 21.0 494(802L) ENDO-018	1.0(0.8)/1.0 19.0 010(805) SI-45	1.2(0.9)/1.2 19.0 010(805) SI-46	1.4(1.0)/1.6 19.0 010(805) SI-47	1.6(1.1)/1.8 19.0 010(805) SI-48	1.4(1.1)/4.0 19.0 225(807) SI-50	1.6(1.2)/4.0 19.0 225(807) ---	1.8(1.3)/5.0 19.0 225(807) SI-51
494-016M	494-018M	010-010M	010-012M	010-014M	010-016M	225-014M	225-016M	225-018M
倒锥型 Inverted Cone / SI								

1.0/2.3 19.0 019(806) DI-41	1.4/3.2 19.0 019(806) DI-42	3.2/5.0 19.0 038(811) EX-11	3.5/7.0 20.0 039(811L) EX-12	4.5/0.7 19.0 044(818) WR-44	4.2/0.9 19.0 067(909) WR-11	4.2/1.8 19.0 068(909) WR-13
019-010M	019-014M	038-032M	039-035M	044-045M	067-042M	068-042M
紧口倒锥型 Inverted Cone with collar/DI		双圆锥型 Double cone/EX		轮型 Wheel/WR		

1.0/4.0 19.0 109(835) SF-41	1.2/4.0 19.0 109(835) SF-31	1.4/4.0 19.0 109(835) SF-42	1.6/4.0 19.0 109(835) ---	1.2/6.0 21.0 110(836) SF-20	1.4/6.0 21.0 110(836) SF-21	1.6/6.0 21.0 110(836) SF-15	1.2/8.0 22.0 111(837) SF-11	1.4/8.0 22.0 111(837) SF-12	1.6/8.0 22.0 111(837) SF-13
109-010M	109-012M	109-014M	109-016M	110-012M	110-014M	110-016M	111-012M	111-014M	111-016M
平头圆柱型 Flat End Cylinder/SF									

1.2/8.0 22.0 130(885) CP-11	1.4/8.0 22.0 130(885) CP-12	1.6/8.0 22.0 130(885) CP-13	1.2/10.0 24.0 131(886) ---	1.4/10.0 24.0 131(886) ---	1.6/10.0 24.0 131(886) ---	1.4(0.7)/10.0 24.0 173(848) TF-11
130-012M	130-014M	130-016M	131-012M	131-014M	131-016M	173-014M
尖头圆柱型 Ogival end Cylinder/CP						平头锥型
						规格
						型号

金刚石粒度

- 黑色/极粗粒度
- 绿色/粗粒度
- 蓝色/标准粒度
- 红色/较细粒度
- 黄色/极细粒度

	1.0/4.0 19.0 139(838) SR-41		1.2/4.0 19.0 139(838) SR-31		1.4/4.0 19.0 139(838) SR-42		1.4/6.0 21.0 140(880) SR-21		1.2/8.0 22.0 141(881) SR-11		1.4/8.0 22.0 141(881) SR-12		1.6/8.0 22.0 141(881) SR-13		1.2/0.2 21.0 150(839) EX-18
139-010M 139-012M 139-014M 140-014M 141-012M 141-014M 141-016M 150-012M															
圆头柱型 Round End, Cylinder/SR														肩台车针 End Cut	

	1.2/6.0 21.0 164(852) TC-26		1.4/8.0 22.0 165(858) TC-21		1.0/10.0 22.0 166(859) TC-27		1.2/10.0 22.0 166(859) TC-28		1.4/10.0 22.0 166(859) TC-10		1.6/10.0 22.0 166(859) TC-11		1.8/10.0 22.0 166(859) TC-16
164-012M 165-014M 166-010M 166-012M 166-014M 166-016M 166-018M													
尖头锥型 Pointed cone/TC													

	1.0(0.6)/3.0 19.0 169(845) TF-41		1.2(0.7)/4.0 19.0 170(845) TF-42		1.4(0.8)/4.0 19.0 170(845) TF-43		1.6(0.9)/4.0 19.0 170(845) TF-31		1.8(1.0)/5.0 20.0 170(845) TF-23		2.1(1.5)/5.0 20.0 170(845) TF-22		1.4(0.7)/6.5 21.0 171(846) TF-20		1.6(0.8)/6.5 21.0 171(846) TF-21		1.0(0.6)/8.0 22.0 172(847) TF-07		1.2(0.7)/8.0 22.0 172(847) TF-08
169-010M 170-012M 170-014M 170-016M 170-018M 170-021M 171-014M 171-016M 172-010M 172-012M																			
平头锥型 Flat End Cone/TF																			

	1.4(0.7)/8.0 22.0 172(847) TF-09		1.6(0.8)/8.0 22.0 172(847) TF-10		1.8(0.9)/8.0 22.0 172(847) TF-56		2.3(1.3)/9.0 22.0 172(847) TF-14		1.4(0.7)/10.0 24.0 173(848) TF-11		1.6(0.8)/10.0 22.0 173(848) TF-12		1.8(0.9)/10.0 22.0 173(848) TF-13
172-014M 172-016M 172-018M 172-023M 173-014M 173-016M 173-018M													

	1.0(0.6)/4.0 19.0 196(849) CR-41		1.2(0.7)/4.0 19.0 196(849) CR-31		1.4(0.8)/4.0 19.0 196(849) CR-42		1.6(0.9)/4.0 19.0 196(849) CR-12		2.0(1.0)/5.0 19.0 196(849) CR-11		1.2(0.7)/6.5 21.0 197(855) TR-20		1.4(0.7)/6.5 21.0 197(855) TR-21		1.6(0.8)/6.5 21.0 197(855) TR-21		1.8(1.0)/6.5 21.0 197(855) TR-62		2.0(1.1)/6.5 21.0 197(855) TR-63
196-010M 196-012M 196-014M 196-016M 196-020M 197-012M 197-014M 197-016M 197-018M 197-020M																			
圆头锥型 Round End Cone/CR/TR																			

	1.2(0.7)/8.0 22.0 198(856) ---		1.4(0.8)/8.0 22.0 198(856) TR-25		1.6(0.9)/8.0 22.0 198(856) TR-24		1.8(1.0)/8.0 22.0 198(856) TR-23		1.2(0.6)/10.0 22.0 199(850) ---		1.4(0.7)/10.0 22.0 199(850) TR-11		1.6(0.8)/10.0 22.0 199(850) TR-12		1.8(0.9)/9.0 22.0 199(850) TR-13		2.2(1.3)/9.0 22.0 199(850) TR-14		2.2(1.3)/11.0 24.0 200(850L) TR-15
198-012M 198-014M 198-016M 198-018M 199-012M 199-014M 199-016M 199-018M 199-022M 200-022M																			

	2.4(1.4)/11.0 24.0 200(850L) TR-19		1.0(0.8)/2.8 19.0 233(808) EX-41		1.4(1.1)/4.0 19.0 234(808L) EX-31		1.8(1.3)/5.0 19.0 237(808R) EX-20		2.1(1.6)/5.0 19.0 237(808R) EX-21		3.2(1.8)/5.0 19.0 237(808R) EX-26
200-024M 233-010M 234-014M 237-018M 237-021M 237-032M											
圆头倒截锥型 Round End Inverted cone/EX											

 1.2/6.0 21.0 248(861) FO-41	 1.4/6.0 21.0 248(861) FO-20	 1.4/8.0 22.0 249(862) FO-21	 1.6/8.0 22.0 249(862) FO-22	 1.2/10.0 24.0 250(863) FO-11	 1.4/10.0 24.0 250(863) FO-12	 1.6/10.0 24.0 250(863) FO-13	 1.6/3.2 19.0 257(368,830) FO-30	 1.8/3.6 19.0 257(368,830) FO-32
248-012M	248-014M	249-014M	249-016M	250-012M	250-014M	250-016M	257-016M	257-018M
尖头圆柱型 Ogival end Cylinder/FO							花蕾芽型 Bud/FO	

 2.1/5.0 19.0 257(368,830) ---	 2.3/5.0 19.0 257(368,830) FO-34	 2.5/5.0 19.0 257(368,830) FO-24	 2.8/5.0 19.0 257(368,830) FO-25	 3.0/5.0 19.0 257(368,830) FO-26	 3.2/5.0 19.0 257(368,830) FO-27	 1.8/3.5 19.0 277(379,833) ---	 2.0/3.9 19.0 277(379,833) TR-22	 2.3/4.5 19.0 277(379,833) ---	 3.0/5.0 19.0 277(379,833) TR-28
257-021M	257-023M	257-025M	257-028M	257-030M	257-032M	277-018M	277-020M	277-023M	277-030M
蛋型 Egg Football/TR									

 1.2/6.0 21.0 288(867,877) SO-20	 1.2/8.0 22.0 289(868,878) ---	 1.4/8.0 22.0 289(868,878) SO-21	 1.6/8.0 22.0 289(868,878) ---	 1.2/10.0 24.0 290(869,879) ---	 1.4/10.0 24.0 290(869,879) ---	 1.6/10.0 24.0 290(869,879) ---
288-012M	289-012M	289-014M	289-016M	290-012M	290-014M	290-016M
鱼雷圆柱型 Torpedo/SO						

 1.6(1.0)/8.0 22.0 298(878K) ---	 1.8(1.1)/8.0 22.0 298(878K) ---	 1.6(1.0)/10.0 24.0 299(879K) ---	 1.8(1.1)/10.0 24.0 299(879K) ---	 1.4/8.0 22.0 115(842SP) BC-11	 1.6/8.0 22.0 178(848SP) BC-12	 1.6/5.0 19.0 465(820) ---
298-016M	298-018M	299-016M	299-018M	115-014M	178-016M	465-016M
鱼雷圆锥型 Torpedo,Conical				邻面去釉 Interdental		

 cutting depth 0.3mm 1.6(1.0)/6.0 21.0 552(834) VP-20	 cutting depth 0.4mm 1.8(1.0)/6.0 21.0 552(834) VP-21	 cutting depth 0.5mm 2.1(1.1)/6.0 21.0 552(834) VP-22	 1.8(1.1)/4.5 19.0 544(845KR) RS-31 or EX-38	 1.8(1.1)/7.5 21.0 545(846KR) RS-21 or EX-29	 1.6(0.8)/8.0 22.0 546(847KR) 847KR016	 1.8(0.9)/10.0 24.0 553(848KR) 848KR018	 1.9(1.2)/10.5 23.0 553(848KR) RS-11 or EX-17
552-016M	552-018M	552-021M	544-018M	545-018M	546-016M	553-018M	553-019M
定深车针 Depth Marking				平头圆柱型 Taper, Round Edge			


 1.6.5mm FG S 313	 1.0 16.0 001(801) BR-S45	 1.2 16.0 001(801) BR-S46	 1.4 16.0 001(801) BR-S41	 1.2(0.9)/1.2 16.0 010(805) SI-S46	 1.6(1.1)/1.8 16.0 010(805) SI-S48	 1.4/8.0 18.5 165(858) TC-S21	 1.0(0.6)/3.0 16.5 169(845) TF-S41	 1.6(0.9)/4.0 14.5 170(845) TF-SS31
FG Short	001-S010M	001-S012M	001-S014M	010-S012M	010-S016M	165-S014M	169-S010M	170-SS016M
短柄 Short								

 1.6(0.9)/4.0 16.5 170(845) TF-S31	 1.8(1.0)/5.0 17.0 170(845) TF-S23	 2.1(1.5)/5.0 17.0 170(845) TF-S22	 1.6(0.8)/6.5 18.5 171(846) TF-S21	 1.4(0.7)/6.5 18.5 171(846) TF-S20	 1.4(0.7)/6.5 18.5 197(855) TR-S20	 1.6(0.8)/6.5 18.5 197(855) TR-S21	 1.8(0.9)/9.0 21.0 199(850) TR-S13	 1.4/8.0 19.5 249(862) FO-S21
170-S016M	170-S018M	170-S021M	171-S016M	171-S014M	197-S014M	197-S016M	199-S018M	249-S014M

								
Super Coarse Black	1.4 19.0 001(801) BR-41S	1.6 19.0 001(801) BR-40S	1.8 19.0 001(801) BR-31S	2.1 19.0 001(801) BR-28S	2.3 19.0 001(801) BR-26S	2.5 19.0 001(801) BR-25S	1.2/10.0 21.0 494(802L) ENDO-012S	1.4/10.0 21.0 494(802L) ENDO-014S
黑色环极粗砂	001-014S	001-016S	001-018S	001-021S	001-023S	001-025S	494-012S	494-014S
圆球型 Ball , Round /BR							根管治疗车针 /Root canal therapy	

									
1.6/10.0 21.0 494(802L) ENDO-016S	1.8/10.0 21.0 494(802L) ENDO-018S	1.6(1.1)/1.8 19.0 010(805) SI-48S	3.2/5.0 19.0 038(811) EX-11S	3.5/7.0 20.0 039(811L) EX-12S	1.8(1.3)/5.0 19.0 237(808R) EX-20S	2.1(1.6)/5.0 19.0 237(808R) EX-21S	1.2/4.0 19.0 109(835) SF-31S	1.4/4.0 19.0 109(835) SF-42S	1.4/6.0 21.0 110(836) SF-21S
494-016S	494-018S	010-016S	038-032S	039-035S	237-018S	237-021S	109-012S	109-014S	110-014S
倒锥型 Inverted Cone /SI			双圆锥型 Double cone/EX		圆头倒锥型 Round End Inverted cone/EX		平头圆柱型 Flat End Cylinder/SF		

									
1.6/6.0 21.0 110(836) SF-15S	1.2/8.0 22.0 111(837) SF-11S	1.4/8.0 22.0 111(837) SF-12S	1.6/8.0 22.0 111(837) SF-13S	1.2/8.0 22.0 141(881) SR-11S	1.4/8.0 22.0 141(881) SR-12S	1.6/8.0 22.0 141(881) SR-13S	1.4/8.0 22.0 165(858) TC-21S	1.4/10.0 22.0 166(859) TC-10S	1.6/10.0 22.0 166(859) TC-11S
110-016S	111-012S	111-014S	111-016S	141-012S	141-014S	141-016S	165-014S	166-014S	166-016S
圆头柱型 Round End, Cylinder/SR							尖头锥型 Pointed cone/TC		

						
1.8/10.0 22.0 166(859) TF-16S	1.6(0.8)/6.5 21.0 171(846) TF-21S	1.4(0.7)/8.0 22.0 172(847) TF-09S	1.6(0.8)/8.0 22.0 172(847) TF-10S	1.4(0.7)/10.0 24.0 173(848) TF-11S	1.6(0.8)/10.0 22.0 173(848) TF-12S	1.8(0.9)/10.0 22.0 173(848) TF-13S
166-018S	171-016S	172-014S	172-016S	173-014S	173-016S	173-018S
平头锥型 Flat End Cone/TF						

					
1.6(0.8)/6.5 21.0 197(855) TR-21S	1.4(0.8)/8.0 22.0 198(856) TR-25S	1.6(0.9)/8.0 22.0 198(856) TR-24S	1.4(0.7)/10.0 22.0 199(850) TR-11S	1.6(0.8)/10.0 22.0 199(850) TR-12S	1.8(0.9)/9.0 22.0 199(850) TR-13S
197-016S	198-014S	198-016S	199-014S	199-016S	199-018S
圆头锥型 Round End Cone/CR/TR					

						
1.2/6.0 21.0 248(861) FO-41S	1.4/6.0 21.0 248(861) FO-20S	1.4/8.0 22.0 249(862) FO-21S	1.6/8.0 22.0 249(862) FO-22S	1.2/10.0 24.0 250(863) FO-11S	1.4/10.0 24.0 250(863) FO-12S	1.6/10.0 24.0 250(863) FO-13S
248-012S	248-014S	249-014S	249-016S	250-012S	250-014S	250-016S
尖头圆柱型 Ogival end Cylinder/FO						

								
1.8/3.6 19.0 257(368,830) FO-32S	2.1/5.0 19.0 257(368,830) ---	2.3/5.0 19.0 257(368,830) FO-34S	2.5/5.0 19.0 257(368,830) FO-24S	2.8/5.0 19.0 257(368,830) FO-25S	3.0/5.0 19.0 257(368,830) FO-26S	3.2/5.0 19.0 257(368,830) FO-27S	2.0/3.9 19.0 277(379,833) TR-22S	3.0/5.0 19.0 277(379,833) TR-28S
257-018S	257-021S	257-023S	257-025S	257-028S	257-030S	257-032S	277-020S	277-030S
花蕾芽型 Bud/FO							蛋型 Egg Football/TR	
							鱼雷圆柱型 Torpedo/SO	

								
Coarse Green	001(801) BR-46C	001(801) BR-41C	001(801) BR-40C	001(801) BR-31C	001(801) BR-28C	001(801) BR-26C	001(801) BR-25C	001(801) BR-23C
绿色环粗砂	001-012C	001-014C	001-016C	001-018C	001-021C	001-023C	001-025C	001-029C
圆球型 Ball , Round /BR								

								
494(802L) ENDO-012C	494(802L) ENDO-014C	494(802L) ENDO-016C	494(802L) ENDO-018C	010(805) SI-47C	010(805) SI-48C	038(811) EX-11C	039(811L) EX-12C	068(909) WR-13C
494-012C	494-014C	494-016C	494-018C	010-014C	010-016C	038-032C	039-035C	068-042C
根管治疗车针/Root canal therapy			倒锥型 Inverted Cone / SI			双圆锥型 Double cone/EX		轮型 Wheel/WR

								
109(835) SF-31C	109(835) SF-42C	109(835) ---	110(836) SF-20C	110(836) SF-21C	110(836) SF-15C	111(837) SF-11C	111(837) SF-12C	111(837) SF-13C
109-012C	109-014C	109-016C	110-012C	110-014C	110-016C	111-012C	111-014C	111-016C
平头圆柱型 Flat End Cylinder/SF								

					
130(885) CP-11C	130(885) CP-12C	130(885) CP-13C	131(886) ---	131(886) ---	131(886) ---
130-012C	130-014C	130-016C	131-012C	131-014C	131-016C
Ogival end Cylinder/CP					

					
140(880) SR-21C	141(881) SR-11C	141(881) SR-12C	141(881) SR-13C	142(882) ---	142(882) ---
140-014C	141-012C	141-014C	141-016C	142-014C	142-016C
圆头柱型 Round End, Cylinder/SR					

						
165(858) TC-21C	166(859) TC-10C	166(859) TC-11C	166(859) TC-16C	167(859L) ---	167(859L) ---	167(859L) ---
165-014C	166-014C	166-016C	166-018C	167-014C	167-016C	167-018C
尖头锥型 Pointed cone/TC						

								
170(845) TF-43C	171(846) TF-20C	172(847) TF-09C	172(847) TF-10C	172(847) TF-56C	172(847) TF-14C	173(848) TF-11C	173(848) TF-12C	173(848) TF-13C
170-014C	171-014C	172-014C	172-016C	172-018C	172-023C	173-014C	173-016C	173-018C
平头锥型 Flat End Cone/TF								

	1.4(0.7)/6.5 21.0 197(855) TR-20C		1.6(0.8)/6.5 21.0 197(855) TR-21C		1.8(1.0)/6.5 21.0 197(855) TR-62C		1.4(0.8)/8.0 22.0 198(856) TR-25C		1.6(0.9)/8.0 22.0 198(856) TR-24C		1.8(1.0)/8.0 22.0 198(856) TR-23C		1.4(0.7)/10.0 22.0 199(850) TR-11C		1.6(0.8)/10.0 22.0 199(850) TR-12C		1.8(0.9)/9.0 22.0 199(850) TR-13C		2.2(1.3)/9.0 22.0 199(850) TR-14C
197-014C 197-016C 197-018C 198-014C 198-016C 198-018C 199-014C 199-016C 199-018C 199-022C																			
圓頭錐型 Round End Cone/CR/TR																			

	1.4/8.0 22.0 249(862) FO-21C		1.6/8.0 22.0 249(862) FO-22C		1.2/10.0 24.0 250(863) FO-11C		1.4/10.0 24.0 250(863) FO-12C		1.6/10.0 24.0 250(863) FO-13C		1.8/9.5 21.0 190 FO-54C
249-014C 249-016C 250-012C 250-014C 250-016C 190-018C											
尖頭圓柱型 Ogival end Cylinder/FO											


	1.8/3.6 19.0 257(368,830) FO-32C		2.1/5.0 19.0 257(368,830) ---		2.3/5.0 19.0 257(368,830) FO-34C		2.5/5.0 19.0 257(368,830) FO-24C		2.8/5.0 19.0 257(368,830) FO-25C
257-018C 257-021C 257-023C 257-025C 257-028C									
花蕾芽型 Bud/FO									





	1.2/8.0 22.0 289(868,878) ---		1.4/8.0 22.0 289(868,878) SO-21C		1.6/8.0 22.0 289(868,878) ---		1.2/10.0 24.0 290(869,879) ---		1.4/10.0 24.0 290(869,879) ---		1.6/10.0 24.0 290(869,879) ---
289-012C 289-014C 289-016C 290-012C 290-014C 290-016C											
魚雷圓柱型 Torpedo/SO											


					
Fine Red	1.2 19.0 001(801) BR-46F	1.4 19.0 001(801) BR-41F	1.6 19.0 001(801) BR-40F	1.8 19.0 001(801) BR-31F	2.1 19.0 001(801) BR-28F
紅色環 較細砂					
001-012F 001-014F 001-016F 001-018F 001-021F 001-023F					
圓球型 Ball, Round /BR					

								
1.4/6.0 21.0 110(836) SF-21F	1.2/8.0 22.0 111(837) SF-11F	1.4/8.0 22.0 111(837) SF-12F	1.6/8.0 22.0 111(837) SF-13F	1.4/6.0 21.0 140(880) SR-21F	1.2/8.0 22.0 141(881) SR-11F	1.4/8.0 22.0 141(881) SR-12F	1.6/8.0 22.0 141(881) SR-13F	1.2/0.2 21.0 150(839) EX-18F
110-014F 111-012F 111-014F 111-016F 140-014F 141-012F 141-014F 141-016F 150-012F								
平頭圓柱型 Flat End Cylinder/SF			圓頭柱型 Round End, Cylinder/SR				End Cut	

							
1.2/6.0 21.0 164(852) TC-26F	1.2/8.0 22.0 165(858) ---	1.4/8.0 22.0 165(858) TC-21F	1.0/10.0 22.0 166(859) TC-27F	1.2/10.0 22.0 166(859) TC-28F	1.4/10.0 22.0 166(859) TC-10F	1.6/10.0 22.0 166(859) TC-11F	1.8/10.0 22.0 166(859) TC-16F
164-012F 165-012F 165-014F 166-010F 166-012F 166-014F 166-016F 166-018F							
尖頭錐型 Pointed cone/TC							

	1.4(0.8)/4.0 19.0 170(845) TF-43F		1.4(0.7)/6.5 21.0 171(846) TF-20F		1.6(0.8)/6.5 21.0 171(846) TF-21F		1.2(0.7)/8.0 22.0 172(847) TF-08F		1.4(0.7)/8.0 22.0 172(847) TF-09F		1.6(0.8)/8.0 22.0 172(847) TF-10F		1.4(0.7)/10.0 24.0 173(848) TF-11F		1.6(0.8)/10.0 22.0 173(848) TF-12F		1.8(0.9)/10.0 22.0 173(848) TF-13F
170-014F		171-014F		171-016F		172-012F		172-014F		172-016F		173-014F		173-016F		173-018F	
平头锥型 Flat End Cone/TF																	

	1.6(0.9)/4.0 19.0 196(849) CR-12F		2.0(1.0)/5.0 19.0 196(849) CR-11F		1.4(0.7)/6.5 21.0 197(855) TR-20F		1.6(0.8)/6.5 21.0 197(855) TR-21F		1.8(1.0)/6.5 21.0 197(855) TR-62F		1.4(0.8)/8.0 22.0 198(856) TR-25F		1.6(0.9)/8.0 22.0 198(856) TR-24F		1.8(1.0)/8.0 22.0 198(856) TR-23F		1.2(0.6)/10.0 22.0 199(850) ---		1.4(0.7)/10.0 22.0 199(850) TR-11F
196-016F		196-020F		197-014F		197-016F		197-018F		198-014F		198-016F		198-018F		199-012F		199-014F	
圆头锥型 Round End Cone/CR/TR																			

	1.6(0.8)/10.0 22.0 199(850) TR-12F		1.8(0.9)/9.0 22.0 199(850) TR-13F		2.2(1.3)/9.0 22.0 199(850) TR-14F		1.4(1.1)/4.0 19.0 234(808L) EX-31F		1.8(1.3)/5.0 19.0 237(808R) EX-20F		2.1(1.6)/5.0 19.0 237(808R) EX-21F
199-016F		199-018F		199-022F		234-014F		237-018F		237-021F	
圆头倒截锥型 Round End Inverted cone/EX											

	1.2/6.0 21.0 248(861) FO-41F		1.4/6.0 21.0 248(861) FO-20F		1.4/8.0 22.0 249(862) FO-21F		1.6/8.0 22.0 249(862) FO-22F		1.2/10.0 24.0 250(863) FO-11F		1.4/10.0 24.0 250(863) FO-12F		1.6/10.0 24.0 250(863) FO-13F
248-012F		248-014F		249-014F		249-016F		250-012F		250-014F		250-016F	
尖头圆柱型 Ogival end Cylinder/FO													

	1.6/3.2 19.0 257(368,830) FO-30F		1.8/3.6 19.0 257(368,830) FO-32F		2.1/5.0 19.0 257(368,830) ---		2.3/5.0 19.0 257(368,830) FO-34F		2.5/5.0 19.0 257(368,830) FO-24F		2.8/5.0 19.0 257(368,830) FO-25F		3.0/5.0 19.0 257(368,830) FO-26F		3.2/5.0 19.0 257(368,830) FO-27F
257-016F		257-018F		257-021F		257-023F		257-025F		257-028F		257-030F		257-032F	
花蕾芽型 Bud/FO															

	1.2/6.0 21.0 288(867,877) SO-20F		1.2/8.0 22.0 289(868,878) ---		1.4/8.0 22.0 289(868,878) SO-21F		1.6/8.0 22.0 289(868,878) ---
288-012F		289-012F		289-014F		289-016F	
魚雷圓柱型 Torpedo/SO							

	0.6 16.8		0.7/2.2 16.8		0.7/3.8 16.8		0.7/2.2 16.8		0.6/2.2 16.8		0.9/1.2 16.8		0.7/2.2 16.8		0.7/3.6 16.8		0.8/3.2 16.8		1.3/6.9 16.8
001 CD-50F		138 CD-51F		139 CD-52F		161 CD-53F		246 CD-54F		254 CD-55F		246 CD-56F		247 CD-57F		108 CD-58F		171 CD-59F	
001-S006F	138-S007F	139-S007F	161-S007F	246-S006F	254-S009F	246-S007F	247-S007F	108-S008F	171-S013F										
儿童车针 FG Short Burs for Kids / CD																			



Extra Fine
Yellow



1.2
19.0
001(801)
BR-46EF



1.4
19.0
001(801)
BR-41EF



1.6
19.0
001(801)
BR-40EF



1.8
19.0
001(801)
BR-31EF



2.1
19.0
001(801)
BR-28EF



2.3
19.0
001(801)
BR-26EF

黄色环 细砂

001-012EF

001-014EF

001-016EF

001-018EF

001-021EF

001-023EF

圆球型 Ball, Round /BR



1.2/6.0
21.0
164(852)
TC-26EF



1.2/8.0
22.0
165(858)



1.4/8.0
22.0
165(858)
TC-21EF



1.0/10.0
22.0
166(859)
TC-27EF



1.2/10.0
22.0
166(859)
TC-28EF



1.4/10.0
22.0
166(859)
TC-10EF



1.6/10.0
22.0
166(859)
TC-11EF



1.8/10.0
22.0
166(859)
TC-16EF

164-012EF

165-012EF

165-014EF

166-010EF

166-012EF

166-014EF

166-016EF

166-018EF

尖头锥型 Pointed cone/TC



1.6(0.8)/6.5
21.0
171(846)
TF-21EF



1.6(0.8)/8.0
22.0
172(847)
TF-10EF



1.4(0.7)/10.0
24.0
173(848)
TF-11EF



1.6(0.8)/10.0
22.0
173(848)
TF-12EF



1.8(0.9)/10.0
22.0
173(848)
TF-13EF

171-016EF

172-016EF

173-014EF

173-016EF

173-018EF

平头锥型 Flat End Cone/TF



1.6(0.9)/4.0
19.0
196(849)
CR-12EF



2.0(1.0)/5.0
19.0
196(849)
CR-11EF



1.2(0.7)/6.5
21.0
197(855)



1.4(0.7)/6.5
21.0
197(855)
TR-20EF



1.6(0.8)/6.5
21.0
197(855)
TR-21EF



1.8(1.0)/6.5
21.0
197(855)
TR-62EF



1.2(0.7)/8.0
22.0
198(856)



1.4(0.8)/8.0
22.0
198(856)
TR-25EF



1.6(0.9)/8.0
22.0
198(856)
TR-24EF



1.8(1.0)/8.0
22.0
198(856)
TR-23EF

196-016EF

196-020EF

197-012EF

197-014EF

197-016EF

197-018EF

198-012EF

198-014EF

198-016EF

198-018EF

圆头锥型 Round End Cone/CR/TR



1.2(0.6)/10.0
22.0
199(850)



1.4(0.7)/10.0
22.0
199(850)
TR-11EF



1.6(0.8)/10.0
22.0
199(850)
TR-12EF



1.8(0.9)/9.0
22.0
199(850)
TR-13EF



1.4(1.1)/4.0
19.0
234(808L)
EX-31EF



1.8(1.3)/5.0
19.0
237(808R)
EX-20EF



2.1(1.6)/5.0
19.0
237(808R)
EX-21EF

199-012EF

199-014EF

199-016EF

199-018EF

234-014EF

237-018EF

237-021EF

圆头倒截锥型 Round End Inverted cone/EX



1.0/4.3
23.5
540(889)
FO-40EF



1.2/6.0
21.0
248(861)
FO-41EF



1.4/6.0
21.0
248(861)
FO-20EF



1.4/8.0
22.0
249(862)
FO-21EF



1.6/8.0
22.0
249(862)
FO-22EF



1.2/10.0
24.0
250(863)
FO-11EF



1.4/10.0
24.0
250(863)
FO-12EF



1.6/10.0
24.0
250(863)
FO-13EF

540-010EF

248-012EF

248-014EF

249-014EF

249-016EF

250-012EF

250-014EF

250-016EF

尖头圆柱型 Ogival end Cylinder/FO



1.6/3.2
19.0
257(368,830)
FO-30EF



1.8/3.6
19.0
257(368,830)
FO-32EF



2.1/5.0
19.0
257(368,830)



2.3/5.0
19.0
257(368,830)
FO-34EF



2.5/5.0
19.0
257(368,830)
FO-24EF



2.8/5.0
19.0
257(368,830)
FO-25EF



3.0/5.0
19.0
257(368,830)
FO-26EF



3.2/5.0
19.0
257(368,830)
FO-27EF



1.2/6.0
21.0
288(867,877)
SO-20EF



1.4/8.0
22.0
289(868,878)
SO-21EF

257-016EF

257-018EF

257-021EF

257-023EF

257-025EF

257-028EF

257-030EF

257-032EF

288-012EF

289-014EF

花蕾芽型 Bud/FO

鱼雷圆柱型 Torpedo/SO


 25mm FG XL 316		 1.0 25.0 001(801) BR-X45	 1.2 25.0 001(801) BR-X46	 1.4 25.0 001(801) BR-X41	 1.6 25.0 001(801) BR-X40	 1.8 25.0 001(801) BR-X31	 1.2(0.9)/1.2 25.0 010(805) SI-X46	 1.2/8.0 28.0 111(837) SF-X11	 1.4/8.0 28.0 111(837) SF-X12
FG Surgical 加长柄		001-X010M	001-X012M	001-X014M	001-X016M	001-X018M	010-X012M	111-X012M	111-X014M
 1.6/8.0 28.0 111(837) SF-X13	 1.6/10.0 29.0 166(859) TC-X11	 1.4(0.7)/10.0 29.0 173(848) TF-X11	 1.6(0.8)/10.0 29.0 173(848) TF-X12	 1.8(0.9)/10.0 29.0 173(848) TF-X13	 1.6(0.8)/10.0 29.0 199(850) TR-X12	 2.2(1.3)/11.0 29.0 200(850L) TR-X15	 1.4/8.0 28.0 249(862) FO-X21	 1.6/8.0 28.0 249(862) FO-X22	
111-X016M	166-X016M	173-X014M	173-X016M	173-X018M	199-X016M	200-X022M	249-X014M	249-X016M	
 1.6 25.0 001(801) BR-X40S	 1.8 25.0 001(801) BR-X31S	 1.4 25.0 001(801) BR-X41C	 1.6 25.0 001(801) BR-X40C	 1.8 25.0 001(801) BR-X31C					
001-X016S	001-X018S	001-X014C	001-X016C	001-X018C					
 22.0mm RA, CA 204		 1.2 22.0 001(801) BR-R46	 1.4 22.0 001(801) BR-R41	 1.6 22.0 001(801) BR-R40	 1.8 22.0 001(801) BR-R31	 2.3 22.0 001(801) BR-R26	 1.0(0.8)/1.0 22.0 010(805) SI-R45	 1.2(0.9)/1.2 22.0 010(805) SI-R46	 1.4(1.0)/1.6 22.0 010(805) SI-R47
RA, CA 弯机柄		001-R012M	001-R014M	001-R016M	001-R018M	001-R023M	010-R010M	010-R012M	010-R014M
 1.6(1.1)/1.8 22.0 010(805) SI-R48	 1.0/4.0 22.0 109(835) SF-R41	 1.2/4.0 22.0 109(835) SF-R31	 1.4/4.0 22.0 109(835) SF-R42	 1.2/8.0 24.0 111(837) SF-R11	 1.4/8.0 24.0 111(837) SF-R12	 1.6/8.0 24.0 111(837) SF-R13	 1.2/8.0 24.0 141(881) SR-R11	 1.4/8.0 24.0 141(881) SR-R12	 1.4/8.0 24.0 165(858) TC-R21
010-R016M	109-R010M	109-R012M	109-R014M	111-R012M	111-R014M	111-R016M	141-R012M	141-R014M	165-R014M
 1.6/10.0 27.0 166(859) TC-R11	 1.0(0.6)/3.0 22.0 169(845) TF-R41	 1.2(0.7)/4.0 22.0 170(845) TF-R42	 1.8(1.0)/8.0 25.0 198(856) TR-R23	 1.6(0.8)/10.0 27.0 199(850) TR-R12	 1.8/3.6 22.0 257(368,830) FO-R32	 1.6 22.0 001(801) BR-R40F	 1.8 22.0 001(801) BR-R31F	 2.3 22.0 001(801) BR-R26F	 1.4/8.0 24.0 165(858) TC-R21F
166-R016M	169-R010M	170-R012M	198-R018M	199-R016M	257-R018M	001-R016F	001-R018F	001-R023F	165-R014F
 1.8/3.6 22.0 257(368,830) FO-R32F	 1.6 22.0 001(801) BR-R40EF	 1.8 22.0 001(801) BR-R31EF	 2.3 22.0 001(801) BR-R26EF	去除肉芽组织 车针套装 Degranulation Kit		 1.0 31.0	 2.5 31.0	 3.0 31.0	 3.5 31.0
257-R018F	001-R016EF	001-R018EF	001-R023EF	去除肉芽组织车针套装 Degranulation Kit		001-R010	001-R025	001-R030	001-R035

用于制备烧结氧化锆的金刚石车针

Diamond burs for preparing sintered Zirconia

氧化锆是一种具有良好发展前景的假牙材料。氧化锆的特殊性能对制备提出了极高的要求。本系列金刚石钻头专门针对氧化锆陶瓷的极高硬度而设计。它们具有比标准金刚石钻头更长的使用寿命和更大的切削能力。它们是根管治疗中切割氧化锆冠的理想工具。

Zirconia is a material with a promising future in prosthetic dentistry, the special properties of zirconia place extreme demands on the preparation. This series of our diamond burs are tailored to the extreme hardness of zirconia ceramic. They have a long service life and much great cutting capacity than standard diamond burs. They are ideal for sectioning zirconia crowns during endodontic treatment.


									
2.1/10.0 24.0	3.2/5.0 19.0	1.2/8.0 22.0	1.4/8.0 22.0	2.3(1.3)/9.0 22.0	1.6(0.8)/10.0 22.0	1.4/10.0 24.0	1.6(0.8)/8.0 22.0	1.8(0.9)/10.0 24.0	1.6(0.9)/8.0 22.0
494 (802L)	038 (811)	141 (881)	141 (881)	172 (847)	173 (848)	290 (869,879)	546 (847KR)	553 (848KR)	198 (856)
Z494-021M	Z038-032M	Z141-012M	Z141-014M	Z172-023M	Z173-016M	Z290-014M	Z546-016M	Z553-018M	Z198-016M
—	ZEX-11	ZSR-11	ZSR-12	ZTF-14	ZTF-12	—	—	—	ZTR-24

									
1.4 22.0	1.2/8.0 22.0	1.4/8.0 22.0	1.4/10.0 24.0	1.6(0.8)/8.0 22.0	1.8(0.9)/10.0 24.0	1.6(0.9)/8.0 22.0	2.5/5.0 19.0	1.6/3.2 19.0	1.0/11.5 24.0
697 (801L)	141 (881)	141 (881)	290 (869,879)	546 (847KR)	553 (848KR)	198 (856)	257 (368,830)	277 (379,833)	167 (859L)
Z697-014F	Z141-012F	Z141-014F	Z290-014F	Z546-016F	Z553-018F	Z198-016F	Z257-025F	Z277-016F	Z167-010F
ZBR-L41F	ZSR-11F	ZSR-12F	—	—	—	ZTR-24F	ZFO-24F	—	—

									
1.4 22.0	1.2/8.0 22.0	1.4/8.0 22.0	1.4/10.0 24.0	1.6(0.8)/8.0 22.0	1.8(0.9)/10.0 24.0	1.6(0.9)/8.0 22.0	2.5/5.0 19.0	1.6/3.2 19.0	1.0/11.5 24.0
697 (801L)	141 (881)	141 (881)	290 (869,879)	546 (847KR)	553 (848KR)	198 (856)	257 (368,830)	277 (379,833)	167 (859L)
Z697-014EF	Z141-012EF	Z141-014EF	Z290-014EF	Z546-016EF	Z553-018EF	Z198-016EF	Z257-025EF	Z277-016EF	Z167-010EF
ZBR-L41EF	ZSR-11EF	ZSR-12EF	—	—	—	ZTR-24EF	ZFO-24EF	—	—

快速切削全陶瓷，烧结氧化锆冠的黑色金刚石车针（超粗）




Fast reducing the All-Ceramics, Zirconia crown with the Black burs (Super coarse)

									
1.2/8.0 22.0	1.4/8.0 22.0	1.6(0.8)/10.0 22.0	1.6/10.0 22.0	1.8/10.0 22.0	1.8(0.9)/9.0 22.0	2.2(1.3)/9.0 22.0	1.6(0.8)/8.0 22.0	1.8(0.9)/10.0 24.0	2.3/5.0 19.0
141 (881)	141 (881)	173 (848)	166 (859)	166 (859)	199 (850)	199 (850)	546 (847KR)	553 (848KR)	257 (368,830)
Z141-012S	Z141-014S	Z173-016S	Z166-016S	Z166-018S	Z199-018S	Z199-022S	Z546-016S	Z553-018S	Z257-023S
ZSR-11S	ZSR-12S	ZTF-12S	ZTC-11S	ZTC-16S	ZTR-13S	ZTR-14S	—	—	ZFO-34S

牙体制备专用车针

1. 高品质专业备牙车针，有前后牙之分。
2. 制备肩台时不会出现羽状肩台，避免了因备牙而引起的修复体无法就位和颈缘崩裂现象。
3. 保证肩台宽度一致。

Especially for All-ceramic restoration. Pin guide not Diamond coated avoids injury of the gingival edge;
508T-014XC wearing-off the contact points mesial-distal;
001-014M determination of prep-bounds
198C-016XC 021XC 508T-016XC 021XC for circular wearing-off without damaging the prep-stage;
508T-016F;021F for precise grinding of the pre-stage with the help of a precision guiding-pin.

									
1.4/8.0 21.5	1.4 19.0	1.6/8.0 20.5	1.6/9.0 21.5	1.6/9.0 21.5	1.4/8.0 21.5	1.6 16.0	2.1/8.0 19.0	2.1/9.0 20.0	2.1/9.0 20.0
508T-014XC	BR-41	198C-016XC	508T-016XC	508T-016F	508T-014XC	001-016M	198C-021XC	508T-021XC	508T-021F
508T-014XC	001-014M	198C-016XC	508T-016XC	508T-016F	508T-014XC	001-016M	198C-021XC	508T-021XC	508T-021F



品名	FG 十支黄色塑料盒
Name	FG 10 pcs yellow plastic box
尺寸/Size	44mm*30.5mm
重量/Weight	6.6g



品名	FG 十支红色塑料盒
Name	FG 10 pcs red plastic box
尺寸/Size	44mm*30.5mm
重量/Weight	6.6g



品名	FG 十支蓝色塑料盒
Name	FG 10 pcs blue plastic box
尺寸/Size	44mm*30.5mm
重量/Weight	6.6g



品名	FG 十支绿色塑料盒
Name	FG 10 pcs green plastic box
尺寸/Size	44mm*30.5mm
重量/Weight	6.6g



品名	FG 十支黑色塑料盒
Name	FG 10 pcs black plastic box
尺寸/Size	44mm*30.5mm
重量/Weight	6.6g



品名	FG 五支黄色塑料盒
Name	FG 5 pcs yellow plastic box
尺寸/Size	35mm*29mm
重量/Weight	6.4g



品名	FG 五支红色塑料盒
Name	FG 5 pcs red plastic box
尺寸/Size	35mm*29mm
重量/Weight	6.4g



品名	FG 五支蓝色塑料盒
Name	FG 5 pcs blue plastic box
尺寸/Size	35mm*29mm
重量/Weight	6.4g



品名	FG 五支绿色塑料盒
Name	FG 5 pcs green plastic box
尺寸/Size	35mm*29mm
重量/Weight	6.4g



品名	FG 五支黑色塑料盒
Name	FG 5 pcs black plastic box
尺寸/Size	35mm*29mm
重量/Weight	6.4g



品名	FG 十支推拉盒
Name	FG 10 pcs plastic box
尺寸/Size	35mm*33mm
重量/Weight	6.8g



品名	HP 30支塑料盒
Name	HP 30 pcs plastic box
尺寸/Size	144mm*71mm
重量/Weight	77.2g



品名	HP 十支塑料盒
Name	HP 10 pcs plastic box
尺寸/Size	108mm*69mm
重量/Weight	30.5g



品名	HP 十支吸塑
Name	HP 10pcs blister card
尺寸/Size	61mm*165mm
重量/Weight	22.4g



品名	FG 五支吸塑
Name	FG 5pcs blister card
尺寸/Size	95.5mm*56mm
重量/Weight	4.8g



品名	FG 五支吸塑
Name	FG 5pcs blister card
尺寸/Size	81mm*47mm
重量/Weight	4.2g



品名	HP 五支吸塑
Name	HP 5pcs blister card
尺寸/Size	98.5mm*71mm
重量/Weight	10.5g



品名	FG 十支吸塑
Name	FG 10pcs blister card
尺寸/Size	80mm*69mm
重量/Weight	6.7g



品名	FG 十支吸塑
Name	FG 10pcs blister card
尺寸/Size	105.5mm*80mm
重量/Weight	6.9g



品名	FG 五连包
Name	FG Five packs
尺寸/Size	149.5mm*50mm
重量/Weight	3.2g

产品套装 Product Kit



备冠/前牙套装
Crown Preparation Anterior Teeth Kit



备冠/后牙套装
Crown Preparation Molar Teeth Kit



备洞套装
Cavity Preparation Kit



(高) 嵌体预备套装
Inlay Preparation Kit



烤瓷牙抛光套装
Ceramics/Composite Polishing Kit



儿童微创修复套装
Kiddies Kit



烤瓷制备套装
Ceramic Restoration Kit



备肩台套装
Porcelain Shouldered Abutment Polishing Kit



烤瓷制备/修复套装
Porcelain Preparation / Repair Kit



制备/修复套装
Preparation Repair Kit



护龈综合套装
Gingival Bevel Burs Kit



前牙全冠牙体预备套装
Crown Preparation Anterior Teeth Kit



磨牙全冠牙体预备套装
Crown Preparation Molar Teeth Kit



复合树脂金刚砂车针套装
Composite Resin Kit



微创窝洞制备套装 (粗砂)
Minimally Invasive Cavity Preparation Coarse Kit



微创窝洞制备套装 (细砂)
Minimally Invasive Cavity Preparation Fine Kit



树脂修形套装
Composite Repair Kit



陶瓷复合抛光套装
Porcelain Ceramics Composite Polishing Kit



瓷冠制备套装
Porcelain Crown Preparation Kit



常规粗砂套装
Regular Coarse Sand Kit



磨牙修复套装
Molars Restoration Kit



备肩台套装
Shoulder preparation Kit




备冠/前牙套装
Crown Preparation Anterior Teeth Kit



邻面去釉套装
Interproximal enamel kit



氧化锆金刚砂车针套装
Zirconia Diamond Kit



氧化锆金刚砂车针套装
Diamond Zirconia Finishing Kit



氧化锆金刚砂车针套装
Zirconia Kit



破除氧化锆金刚砂车针套装
Diamond Zirconia Cutting Kit



去除肉芽组织车针套装
Degranulation Kit