


Diamond Bur

金刚砂车针



Advantages

1. Strictly comply with ISO Standard ;
2. Sharper and More Efficient ;
3. Durable and Valuable ;
4. Full Range of shapes and grits.
5. Fastly develop new items.
6. Individual Design and OEM Service






































































Grit
































































- Black / Super Coarse
- Green / Coarse
- Blue / Medium
- Red / Fine
- Yellow /Extra Fine

001-008M Item No.

Standard 标准砂	001/008 0.8/19.0 BR-49	001/010 1.0/19.0 BR-45	001/012 1.2/19.0 BR-46	001/014 1.4/19.0 BR-41	001/016 1.6/19.0 BR-40	001/018 1.8/19.0 BR-31	001/021 2.0/19.0 BR-28	001/023 2.3/19.0 BR-26	001/025 2.5/19.0 BR-25	001/029 2.9/19.0 BR-23	002/012 2.3/19.0 BC-43	002/014 2.3/19.0 BC-42													
Spec. FG-	001-008M	001-010M	001-012M	001-014M	001-016M	001-018M	001-021M	001-023M	001-025M	001-029M	002-012M	002-014M													
	Round /BR						Round with Collar /BC																		
	002/016 3.5/19.0 BC-32		002/018 2.3/19.0 BC-31		010/010 1.0/19.0 SI-45		010/012 1.2/19.0 SI-46		010/014 1.6/19.0 SI-47		010/016 1.8/19.0 SI-48		019/010 2.3/19.0 DI-41		019/014 3.2/19.0 DI-42		038/032 5.0/19.0 EX-11		039/035 7.0/20.0 EX-12		041/025 0.5/19.0 WF-30		042/040 2.0/19.0 WR-45		042/050 2.0/19.0 WR-46
	002-016M	002-018M	010-010M	010-012M	010-014M	010-016M	019-010M	019-014M	038-032M	039-035M	041-025M	042-040M	042-050M												
	Inverted Cone /SI				Inverted Cone with Collar /DI				Barrel / EX		Wheel / WF , WR														
	055/045 2.0/19.0 WR-44		068/042 1.8/19.0 WR-13		109/010 4.0/19.0 SF-41		109/012 4.0/19.0 SF-31		109/014 4.0/19.0 SF-42		110/014 6.0/21.0 SF-21		110/016 6.0/21.0 SF-15		111/012 8.0/22.0 SF-11		111/014 8.0/22.0 SF-12		111/016 8.0/22.0 SF-13		138/010 4.0/19.0 SR-41		138/012 4.0/19.0 SR-31		138/014 4.0/19.0 SR-42
	055-045M	068-042M	109-010M	109-012M	109-014M	110-014M	110-016M	111-012M	111-014M	111-016M	138-010M	138-012M	138-014M												
	Flat End Cylinder /SF						Round End Cylinder /SR																		
	140/014 6.0/21.0 SR-21		141/012 8.0/22.0 SR-11		141/014 8.0/22.0 SR-12		141/016 8.0/22.0 SR-13		150/012 10.0/21.0 EX-18		164/012 6.0/21.0 TC-26		165/014 8.0/22.0 TC-21		166/010 10.0/23.0 TC-27		166/012 10.0/23.0 TC-28		166/014 10.0/22.0 TC-10		166/016 10.0/22.0 TC-11		166/018 10.0/23.0 TC-16		169/010 3.5/19.0 TF-41
	140-014M	141-012M	141-014M	141-016M	150-012M	164-012M	165-014M	166-010M	166-012M	166-014M	166-016M	166-018M	169-010M												
	End Cut /EX			Needle /TC			Flat Cone /TF																		
	170/012 4.0/19.0 TF-42		170/014 4.0/19.0 TF-43		170/016 4.0/19.0 TF-31		170/018 5.0/20.0 TF-23		170/021 5.0/20.0 TF-22		171/014 6.5/21.0 TF-20		171/016 6.5/21.0 TF-21		172/010 8.0/22.0 TF-07		172/012 8.0/22.0 TF-08		172/014 8.0/22.0 TF-09		172/016 8.0/22.0 TF-10		172/018 8.0/22.0 TF-56		172/023 9.0/22.0 TF-14
	170-012M	170-014M	170-016M	170-018M	170-021M	171-014M	171-016M	172-010M	172-012M	172-014M	172-016M	172-018M	172-023M												
	173/014 10.0/24.0 TF-11		173/016 10.0/22.5 TF-12		173/018 10.0/22.5 TF-13		196/010 4.0/19.0 CR-41		196/012 4.0/19.0 CR-31		196/014 4.0/19.0 CR-42		196/016 4.0/19.0 CR-12		196/020 5.0/19.0 CR-11		197/014 6.5/21.0 TR-20		197/016 6.5/21.0 TR-21		197/018 6.5/21.0 TR-62		197/020 6.5/21.0 TR-63		198/014 8.0/22.0 TR-25
	173-014M	173-016M	173-018M	196-010M	196-012M	196-014M	196-016M	196-020M	197-014M	197-016M	197-018M	197-020M	198-014M												
	Round End Cone /CR , TR																								
	198/016 8.0/22.0 TR-24		198/018 8.0/22.0 TR-23		199/014 10.0/22.0 TR-11		199/016 10.0/22.0 TR-12		199/018 9.0/22.0 TR-13		199/022 9.0/22.0 TR-14		200/022 11.0/24.0 TR-15		200/024 11.0/24.0 TR-19		225/014 4.0/19.0 SI-50		225/018 5.0/19.0 SI-51		233/010 2.8/19.0 EX-41		234/014 4.0/19.0 EX-31		237/018 5.0/19.0 EX-20
	198-016M	198-018M	199-014M	199-016M	199-018M	199-022M	200-022M	200-024M	225-014M	225-018M	233-010M	234-014M	237-018M												
	Inverted Cone /SI						Pearl /EX																		

 237/021 5.0/19.0 EX-21	 237/032 5.0/19.0 EX-26	 248/012 6.0/21.0 FO-41	 248/014 6.0/21.0 FO-20	 249/014 8.0/22.0 FO-21	 249/016 8.0/22.0 FO-22	 250/012 10.0/24.0 FO-11	 250/014 10.0/24.0 FO-12	 250/016 10.0/24.0 FO-13	 257/018 3.6/19.0 FO-32	 257/023 5.0/19.0 FO-34	 257/028 5.0/19.0 FO-25	 257/032 5.0/19.0 FO-27
237-021M	237-032M	248-012M	248-014M	249-014M	249-016M	250-012M	250-014M	250-016M	257-018M	257-023M	257-028M	257-032M
Flame /FO												
 277/020 3.9/19.0 TR-22	 277/030 5.0/19.0 TR-28	 288/012 6.0/21.0 SO-20	 289/014 8.0/22.0 SO-21	 298/016 8.0/22.0 878K16	 298/018 8.0/22.0 878K18	 299/016 10.0/24.0 879K16	 304/023 1.0/19.0 WR-47	 304/038 1.2/19.0 WR-48	 304/050 1.8/19.0 WR-49	 515/014 8.0/22.0 BC-11	 519/016 8.0/22.0 BC-12	 005/018 7.5/21.0 EX-28
277-020M	277-030M	288-012M	289-014M	298-016M	298-018M	299-016M	304-023M	304-038M	304-050M	515-014M	519-016M	005-018M
Football /TR			Torpedo /SO			Wheel /WR			Gross Reduction /BC			
 552/016 6.0/21.0 VP-20	 552/018 6.0/21.0 VP-21	 552/021 6.0/21.0 VP-22	 546/016 8.0/22.0 847KR16	 553/018 10.0/24.0 848KR18								
552-016M	552-018M	552-021M	546-016M	553-018M								
Depth Marking			Taper Round edge									
Super Coarse 特粗砂	 001/014 1.4/19.0 BR-41S	 001/016 1.6/19.0 BR-40S	 001/018 1.8/19.0 BR-31S	 001/020 2.0/19.0 BR-28S	 010/016 1.8/19.0 SI-48S	 038/032 5.0/19.0 EX-11S	 039/035 7.0/20.0 EX-12S	 109/012 4.0/19.0 SF-31S	 109/014 4.0/19.0 SF-42S	 111/012 8.0/22.0 SF-11S	 111/014 8.0/22.0 SF-12S	 111/016 8.0/22.0 SF-13S
	Spec. FG-	001-014S	001-016S	001-018S	001-020S	010-016S	038-032S	039-035S	109-012S	109-014S	111-012S	111-014S
 166/016 10.0/22.0 TC-11S	 166/018 10.0/23.0 TC-16S	 171/016 6.5/21.0 TF-21S	 173/014 10.0/24.0 TF-11S	 173/016 10.0/22.0 TF-12S	 173/018 10.0/22.0 TF-13S	 197/016 6.5/21.0 TR-21S	 199/014 10.0/22.0 TR-11S	 199/016 10.0/22.0 TR-12S	 199/018 9.0/22.0 TR-13S	 237/018 5.0/19.0 EX-20S	 277/020 3.9/19.0 TR-22S	 198/016 8.0/20.5 198C-016S
166-016S	166-018S	171-016S	173-014S	173-016S	173-018S	197-016S	199-014S	199-016S	199-018S	237-018S	277-020S	198C-016S
 198/021 8.0/19.0 198C-021S	 508/014 8.0/21.5 508T-014S	 508/016 9.0/21.5 508T-016S	 508/021 9.0/20.0 508T-021S									
198C-021S	508T-014S	508T-016S	508T-021S									
Coarse 粗砂	 001/018 1.8/19.0 BR-31C	 010/014 1.6/19.0 SI-47C	 068/042 1.8/19.0 WR-13C	 111/014 8.0/22.0 SF-12C	 165/014 8.0/22.0 TC-21C	 173/018 10.0/22.0 TF-13C	 190/018 9.5/21.0 FO-54C	 197/018 6.5/21.0 TR-62C	 199/018 9.0/22.0 TR-13C	 257/018 3.6/19.0 FO-32C		
	Spec. FG-	001-018C	010-014C	068-042C	111-014C	165-014C	173-018C	190-018C	197-018C	199-018C	257-018C	
Fine 细砂	 001/008 0.8/19.0 BR-49F	 110/014 6.0/21.0 SF-21F	 150/012 10.0/21.0 EX-18F	 165/014 8.0/22.0 TC-21F	 166/016 10.0/22.0 TC-11F	 171/016 6.5/21.0 TF-21F	 173/014 10.0/24.0 TF-11F	 173/016 10.0/22.0 TF-12F	 173/018 10.0/22.0 TF-13F	 196/016 4.0/19.0 CR-12F	 196/020 5.0/19.0 CR-11F	 197/014 6.5/21.0 TR-20F
	Spec. FG-	001-008F	110-014F	150-012F	165-014F	166-016F	171-016F	173-014F	173-016F	173-018F	196-016F	196-020F

 197/016 6.5/21.0 TR-21F	 197/018 6.5/21.0 TR-62F	 199/014 10.0/22.0 TR-11F	 199/016 10.0/22.0 TR-12F	 199/018 9.0/22.0 TR-13F	 234/014 4.0/19.0 EX-31F	 237/021 5.0/19.0 EX-21F	 249/014 8.0/22.0 FO-21F	 249/016 8.0/22.0 FO-22F	 254/016 3.2/19.0 FO-30F	 289/014 8.0/22.0 SO-21F		
197-016F	197-018F	199-014F	199-016F	199-018F	234-014F	237-021F	249-014F	249-016F	254-016F	289-014F		
Extra Fine 特细砂	 ISO 001/016 1.6/19.0 BR-40EF	 165/014 8.0/22.0 TC-21EF	 166/010 10.0/23.0 TC-27EF	 166/012 10.0/23.0 TC-28EF	 166/016 10.0/22.0 TC-11EF	 171/016 6.5/21.0 TF-21EF	 173/014 10.0/24.0 TF-11EF	 173/016 10.0/22.0 TF-12EF	 173/018 10.0/22.0 TF-13EF	 196/016 4.0/19.0 CR-12EF	 196/020 5.0/19.0 CR-11EF	 197/016 6.5/21.0 TR-21EF
Spec. FG-	001-016EF	165-014EF	166-010EF	166-012EF	166-016EF	171-016EF	173-014EF	173-016EF	173-018EF	196-016EF	196-020EF	197-016EF
 197/018 6.5/21.0 TR-62EF	 198/016 8.0/22.0 TR-24EF	 199/014 10.0/22.0 TR-11EF	 199/016 10.0/22.0 TR-12EF	 199/018 9.0/22.0 TR-13EF	 237/021 5.0/19.0 EX-21EF	 243/010 4.3/23.5 FO-40EF	 248/012 6.0/21.0 FO-41EF	 248/014 6.0/21.0 FO-20EF	 249/014 8.0/22.0 FO-21EF	 249/016 8.0/22.0 FO-22EF	 254/016 3.2/19.0 FO-30EF	 257/023 5.0/19.0 FO-34EF
197-018EF	198-016EF	199-014EF	199-016EF	199-018EF	237-021EF	243-010EF	248-012EF	248-014EF	249-014EF	249-016EF	254-016EF	257-023EF
FG Short 短柄	 001/010 1.0/16.0 BR-S45	 001/014 1.4/16.0 BR-S41	 010/012 1.2/16.0 SI-S46	 010/016 1.8/16.0 SI-S48	 165/014 8.0/19.0 TC-S21	 169/010 3.5/16.0 TF-S41	 170/016 4.0/16.0 TF-S31	 170/018 5.0/18.0 TF-S23	 171/014 6.5/18.0 TF-S20	 171/016 6.5/18.0 TF-S21	 197/016 6.5/17.0 TR-S21	 249/014 8.0/19.0 FO-S21
Spec. FG-	001-S010M	001-S014M	010-S012M	010-S016M	165-S014M	169-S010M	170-S016M	170-S018M	171-S014M	171-S016M	197-S016M	249-S014M
	Medium Grit /Blue											
FG Short For Kids 短柄儿童车针	 001/006 0.6/16.8 CD-50F	 138/007 2.2/16.8 CD-51F	 139/007 3.8/16.8 CD-52F	 161/007 2.2/16.8 CD-53F	 246/006 2.2/16.8 CD-54F	 254/009 1.2/16.8 CD-55F	 246/007 2.2/16.8 CD-56F	 247/007 3.6/16.8 CD-57F	 108/008 3.2/16.8 CD-58F	 171/013 6.9/16.8 CD-59F		
Spec. FG-	001-S006F	138-S007F	139-S007F	161-S007F	246-S006F	254-S009F	246-S007F	247-S007F	108-S008F	171-S013F		
	Fine Grit /Red											
FG Surg. XL 316 加长	 001/010 1.0/25.0 BR-X45	 001/012 1.2/25.0 BR-X46	 001/014 1.4/25.0 BR-X41	 001/016 1.6/25.0 BR-X40	 001/018 1.8/25.0 BR-X31	 001/021 2.1/25.0 BR-X28	 010/012 1.2/25.0 SI-X46	 042/040 2.0/25.0 WR-X45	 055/045 2.0/25.0 WR-X44	 110/014 6.0/27.0 SF-X21	 111/012 8.0/28.0 SF-X11	 111/014 8.0/28.0 SF-X12
	001-X010M	001-X012M	001-X014M	001-X016M	001-X018M	001-X021M	010-X012M	042-X040M	055-X045M	110-X014M	111-X012M	111-X014M
	Medium Grit /Blue											
 111/016 8.0/28.0 SF-X13	 165/014 8.0/28.0 TC-X21	 166/016 10.0/29.0 TC-X11	 173/014 10.0/29.0 TF-X11	 173/016 10.0/29.0 TF-X12	 173/018 10.0/29.0 TF-X13	 198/018 8.0/28.0 TR-X23	 199/016 10.0/29.0 TR-X12	 200/022 11.5/29.0 TR-X15	 225/014 4.0/25.0 SI-X50	 249/014 8.0/28.0 FO-X21	 249/016 8.0/28.0 FO-X22	 257/018 3.6/25.0 FO-X32
111-X016M	165-X014M	166-X016M	173-X014M	173-X016M	173-X018M	198-X018M	199-X016M	200-X022M	225-X014M	249-X014M	249-X016M	257-X018M
 515/014 8.0/28.0 BC-X11	 519/016 8.0/28.0 BC-X12	 001/018 1.8/25.0 BR-X31S	 001/021 2.1/25.0 BR-X28S	 055/045 2.0/25.0 WR-X44S	 173/014 10.0/29.0 TF-X11S	 173/016 10.0/29.0 TF-X12S	 200/022 11.5/29.0 TR-X15S	 001/014 1.4/25.0 BR-X41C	 001/016 1.6/25.0 BR-X40C	 001/018 1.8/25.0 BR-X31C	 001/021 2.1/25.0 BR-X28C	 055/045 2.0/25.0 WR-X44C
515-X014M	519-X016M	001-X018S	001-X021S	055-X045S	173-X014S	173-X016S	200-X022S	001-X014C	001-X016C	001-X018C	001-X021C	055-X045C
	Super Coarse /Black						Coarse /Green					

 111/016 8.0/28.0 SF-X13C	 165/014 8.0/28.0 TC-X21C	 166/016 10.0/29.0 TC-X11C	 173/014 10.0/29.0 TF-X11C	 173/016 10.0/29.0 TF-X12C	 515/014 8.0/28.0 BC-X11C	 519/016 8.0/28.0 BC-X12C	 173/014 10.0/29.0 TF-X11CR	 173/016 10.0/29.0 TF-X12CR	 173/018 10.0/29.0 TF-X13CR	 199/014 10.0/29.0 TR-X11CR	 199/016 10.0/29.0 TR-X12CR	 166/016 10.0/29.0 TC-X11EF
111-X016C	165-X014C	166-X016C	173-X014C	173-X016C	515-X014C	519-X016C	173-X014CR	173-X016CR	173-X018CR	199-X014CR	199-X016CR	166-X016EF
Extra Fine/Yellow												
FG 2XL 32mm 超长	 001/012 1.2/32.0 BR-2XL46	 001/014 1.4/32.0 BR-2XL41	 001/016 1.6/32.0 BR-2XL40	 001/018 1.8/32.0 BR-2XL31	 001/021 2.1/32.0 BR-2XL28	 001/023 2.1/32.0 BR-2XL26						
	001-2XL012M	001-2XL014M	001-2XL016M	001-2XL018M	001-2XL021M	001-2XL023M						
Medium Grit /Blue												
RA / CA 弯机柄	 001/010 1.0/22.0 BR-R45	 001/012 1.2/22.0 BR-R46	 001/014 1.4/22.0 BR-R41	 001/016 1.6/22.0 BR-R40	 001/018 1.8/22.0 BR-R31	 001/023 2.3/22.0 BR-R26	 010/010 1.0/22.0 SI-R45	 010/012 1.2/22.0 SI-R46	 010/014 1.6/22.0 SI-R47	 010/016 1.8/22.0 SI-R48	 109/010 4.0/22.0 SF-R41	 109/012 4.0/22.0 SF-R31
	Spec. RA-	001-R010M	001-R012M	001-R014M	001-R016M	001-R018M	001-R023M	010-R010M	010-R012M	010-R014M	010-R016M	109-R010M
Medium Grit /Blue												
 109/014 4.0/22.0 SF-R42	 111/010 8.0/24.0 SF-R10	 111/012 8.0/24.0 SF-R11	 111/014 8.0/24.0 SF-R12	 141/012 8.0/24.0 SR-R11	 141/014 8.0/24.0 SR-R12	 165/014 8.0/24.0 TC-R21	 166/016 10.0/27.0 TC-R11	 169/008 3.0/22.0 TF-R49	 169/010 3.0/22.0 TF-R41	 170/012 4.0/22.0 TF-R42	 170/014 4.0/22.0 TF-R43	 170/016 4.0/22.0 TF-R31
109-R014M	111-R010M	111-R012M	111-R014M	141-R012M	141-R014M	165-R014M	166-R016M	169-R008M	169-R010M	170-R012M	170-R014M	170-R016M
 198/018 8.0/24.0 TR-R23	 199/016 10.0/27.0 TR-R12	 225/014 4.0/22.0 SI-R50	 225/018 5.0/22.0 SI-R51	 257/018 3.6/22.0 FO-R32	 257/028 4.8/22.0 FO-R25	 001/014 1.4/22.0 BR-R41C	 001/016 1.6/22.0 BR-R40C	 001/023 2.3/22.0 BR-R26C	 001/016 1.6/22.0 BR-R40F	 001/023 2.3/22.0 BR-R26F	 165/014 8.0/24.0 TC-R21F	 257/018 3.6/24.0 FO-R32F
198-R018M	199-R016M	225-R014M	225-R018M	257-R018M	257-R028M	001-R014C	001-R016C	001-R023C	001-R016F	001-R023F	165-R014F	257-R018F
Coarse /Green						Fine /Red						
RA / CA XL 34mm 超长 弯机柄	 001/012 1.2/34.0 BR-XLR46	 001/014 1.4/34.0 BR-XLR41	 001/016 1.6/34.0 BR-XLR40	 001/018 1.8/34.0 BR-XLR31	 001/021 2.1/34.0 BR-XLR28	 001/023 2.3/34.0 BR-XLR26						
	Spec. RA-	001-XLR012M	001-XLR014M	001-XLR016M	001-XLR018M	001-XLR021M	001-XLR023M					
Medium Grit /Blue												

